

南京海关危险货物与包装检测中心 国家化学品分类鉴别与评估重点实验室





Design Report of Safety Data Sheet

	2020K 122					
Name of the sample	Battery box(containing lithium ion battery:V047-0001 英 9P28S 101.56V 3.15kWh) BX6.3_EX100					
Applicant	DELTA ELECTRONICS (JIANGSU) LIMITED					
Supplier	DELTA ELECTRONICS (JIANGSU) LIMITED					
Composition of the sample	Various lithium metal oxides: 20~30%; Carbon: 10~20%; Ethylene carbonate: 15~20%; Lithium hexafluorophosphate(1-); Ethylene carbonate; Dimethyl carbonate; Ethyl methyl carbonate					
Warranty of Design	GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS (GHS) Eighth revised edition					
:	Design Result of SDS please see next page.					
Designer	华夏 Approver 显和					

Notes: This SDS is valid before the implementation of the ninth revised edition GHS.



邮编 (P.C.): 213000

地址:中国.常州市天宁区青洋北路 47号 电话 (Tel): +86-519-85152626, 85807785 Add: 47 Qingyang North Road, Tianning District, Changzhou, China

网址: www.dptc.org

Effective Date: 2020/05/22 DG2047962E

SAFETY DATA SHEET

Battery box(containing lithium ion battery: V047-0001AA 9P28S 101.36V

3.15kWh) BX6.3_EX100

DELTA ELECTRONICS (JIANGSU) LIMITED

• According to GHS (Eighth Revised Edition)



Section 1 Product and Company Identification

> Product Identifier

Product Name

Battery box(containing lithium ion battery:V047-0001AA 9P28S 101.36V

3.15kWh) BX6.3_EX100

Synonyms

> Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Relevant Identified

Uses

Please consult manufacturer.

Uses Advised Against Please consult manufacturer.

> Details of the Supplier of the Safety Data Sheet

Applicant Name DELTA ELECTRONICS (JIANGSU) LIMITED

Application Address

NO.1688 JIANGXING EAST ROAD, WUJIANG ECONOMIC DEVELOPMENT ZONE,

WUJIANG, JIANGSU

Applicant Post Code 215200

Applicant Telephone +86-512-63406008

Applicant Fax —

Applicant E-mail eva.hou@deltaww.com.cn

Supplier Name DELTA ELECTRONICS (JIANGSU) LIMITED

NO.1688 JIANGXING EAST ROAD, WUJIANG ECONOMIC DEVELOPMENT ZONE,

Supplier Address WUJIANG, JIANGSU

Supplier Post Code 215200

Supplier Telephone +86-512-63406008

Supplier Fax —

Supplier E-mail eva.hou@deltaww.com.cn

Importer Name Delta Electronics Australia Pty Ltd

Importer Address Unit 20-21/45 Normanby Road, Notting Hill, VIC 3168, Australia

Importer Telephone +61 3 9543 3720

Importer Emergency +61 3 9543 3720

Phone Number

> Emergency Phone Number

Emergency Phone +86-512-63406008-5630 Number

Section 2 Hazards Identification

Hazard class and label elements of the product according to GHS (the eighth revised edition):

> GHS Hazard Class

This product meets the definition of an article. Under the Globally Harmonized System of Classification and Labeling of Chemicals (GHS), "Articles" as defined in the Hazard Communication Standard (29 CFR 1910.1200) of the Occupational Safety and Health Administration of the United States of America, or by similar definition, are outside the scope of the system. [Rev.8 (2019) Part 1.3.2.1.1]

> GHS Label Elements

Pictogram

Not applicable

Signal Word

Not applicable

> Hazard Statements

Not applicable

> Precautionary Statements

Prevention

Do not open or disassemble.

Do not expose to high temperatures or open fire.

Do not mix with batteries of varying sizes, chemistries or types.

Avoid using external impact battery.

Response

Not applicable

Storage

Store under roof in cool, dry, well-ventilated areas.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations

international regulations.

Section 3 Composition/Information on Ingredients

Component	Concentration (weight percent, %)	CAS No.	EC No.
Various lithium metal oxides	20~30	346417-97-8	-
Carbon	10~20	7782-42-5	231-955-3
Ethylene carbonate	15~20		_
Lithium hexafluorophosphate(1-)	Commercial secrets	21324-40-3	244-334-7
Ethylene carbonate	Commercial secrets	96-49-1	202-510-0
Dimethyl carbonate	Commercial secrets	616-38-6	210-478-4
Ethyl methyl carbonate	Commercial secrets	623-53-0	

> Description of First Aid Measures

General Advice Immediate medical attention is required. Show this safety data sheet (SDS) to

Section 4 First Aid Measures

the doctor in attendance.

Eye ContactRinse thoroughly with plenty of water for at least 15 minutes and consult a

physician if feel uncomfortable.

Skin Contact Take off contaminated clothing and shoes immediately. Wash off with plenty of

water for at least 15 minutes and consult a physician if feel uncomfortable. Do not induce vomiting. Never give anything by mouth to an unconscious

Ingestion person. Call a physician or Poison Control Center immediately.

Move victim into fresh air. If breathing is difficult, give oxygen. Do not use

Inhalation mouth to mouth resuscitation if victim ingested or inhaled the substance. If not

breathing, give artificial respiration and consult a physician immediately. Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.

Protecting of First-aiders

> Most Important Symptoms and Effects, both Acute and Delayed

Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

> Indication of Any Immediate Medical Attention and Special Treatment Needed

1 Treat symptomatically.

2 Symptoms may be delayed.

Section 5 Fire Fighting Measures

> Extinguishing Media

Suitable Extinguishing

Media

Unsuitable

Extinguishing Media

Dry chemical, carbon dioxide or alcohol-resistant foam.

Do not use a solid water stream as it may scatter or spread fire.

> Specific Hazards Arising from the Substance or Mixture

- 1 Containers may explode when heated.
- 2 Fire exposed containers may vent contents through pressure relief valves.
- 3 May expansion or decompose explosively when heated or involved in fire.

> Advice for Firefighters

- As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.
- 2 Fight fire from a safe distance, with adequate cover.
- 3 Prevent fire extinguishing water from contaminating surface water or the ground water system.

Section 6 Accidental Release Measure

> Personal Precautions, Protective Equipment and Emergency Procedures

- 1 Ensure adequate ventilation. Remove all sources of ignition.
- **2** Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

3 Use personal protective equipment. Avoid breathing vapours, mist, gas or dust.

> Environmental Precautions

- 1 Prevent further leakage or spillage if safe to do so.
- 2 Discharge into the environment must be avoided.

> Methods and Materials for Containment and Cleaning Up

- Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding.
- Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.
- 3 Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

Section 7 Handling and Storage

> Precautions for Handling

- 1 Handling is performed in a well ventilated place.
- 2 Wear suitable protective equipment.
- 3 Avoid contact with skin and eyes.
- 4 Keep away from heat/sparks/open flames/ hot surfaces.
- 5 Take precautionary measures against static discharges.

> Precautions for Storage

- 1 Keep containers tightly closed.
- 2 Keep containers in a dry, cool and well-ventilated place.
- 3 Keep away from heat/sparks/open flames/ hot surfaces.
- 4 Store away from incompatible materials and foodstuff containers.

Section 8 Exposure Controls/Personal Protection

> Control Parameters

Occupational Exposure Limit Values

Component	Country/Region	Limit Value	- Eight Hours	Limit Value - Short Term	
Component	Country/Region	ppm	mg/m³	ppm	mg/m³
	USA - OSHA	-	15	-	-
Carbon 7782-42-5	South Korea	-	2	-	-
	Ireland	-	10	-	
	Germany (DFG)	-	4	-	
	Denmark	-	2.5	-	5
	Australia	-	3 (4)	-	-

Biological Limit Values

Component	Source	Biological monitoring index	Biological limits value	Sampling time	remar k
Lithium	SCOEL(EU)	Fluorine/urine	8mg/L	end of shift	

hexafluoropho			
sphate(1-)			

Monitoring Methods

EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

GBZ/T 160 Determination of toxic substances in workplace air(Series effective standard) and GBZ/T 300

Determination of toxic substances in workplace air(Series standard).

> Engineering Controls

Ensure adequate ventilation, especially in confined areas.

Ensure that eyewash stations and safety showers are close to the workstation location.

Use explosion-proof electrical/ventilating/lighting/equipment.

Set up emergency exit and necessary risk-elimination area.

> Personal Protection Equipment

Eve Protection Tightly fitting safety goggles (approved by EN 166(EU) or NIOSH (US).

Wear protective gloves (such as butyl rubber), passing the tests according to **Hand Protection**

EN 374(EU), US F739 or AS/NZS 2161.1 standard.

If exposure limits are exceeded or if irritation or other symptoms are

Respiratory protection experienced, use a full-face respirator with multi-purpose combination (US) or

type AXBEK (EN 14387) respirator cartridges.

Skin and

Protection

Body

Wear fire/flame resistant/retardant clothing and antistatic boots.

Section 9 **Physical and Chemical Properties**

Appearance: Lithium-ion batteries, individually packaged, containing 2 lithium ion batteries.

Odor Threshold: No information available

Melting Point/Freezing Point (°C): No information Initial Boiling Point and Boiling Range (°C): No

available

Flash Point (°C)(Closed Cup): Not applicable

Flammability: No information available

Vapor Pressure (KPa): Not applicable

Relative Density(Water=1): No information

available

n-Octanol/Water Partition Coefficient: No

information available

Decomposition Temperature (°C): No information

available

Particle characteristics: No information available

Odor: No information available

pH: No information available

information available

Evaporation Rate: Not applicable

Upper/lower explosive limits[%(v/v)]: Upper limit:

No information available; Lower limit: No information

available

Relative Vapour Density(Air = 1): Not applicable

Solubility: No information available

Auto-Ignition Temperature(°C): No information

available

Kinematic Viscosity (mm²/s): Not applicable

Section 10 Stability and Reactivity

Reactivity Contact with incompatible substances can cause decomposition or other

chemical reactions.

Chemical Stability

Stable under proper operation and storage conditions.

Possibility of

Hazardous Reactions

Mixtures with metallic acetylene, when heated, cause a fire or incandescence.

Conditions to Avoid

Incompatible materials, heat, flame and spark.

Incompatible Materials

Metal acetylide, halogen, interhalogen, halogen oxides, nitric acid, nitrous oxide, nitrates, nitrites, halogen oxyacid salts, chromates, permanganates,

inorganic peroxides, metal oxides and peroxyformic acid.

Hazardous

Decomposition products

Under normal conditions of storage and use, hazardous decomposition

products should not be produced.

Section 11 Toxicological Information

> Acute Toxicity

Component	ComponentCAS No.LD50 (Oral)Dimethyl carbonate616-38-613000mg/kg(Rat)		LD ₅₀ (Dermal)	LC ₅₀ (Inhalation, 4h)
			> 5000mg/kg(Rabbit)	No information available
Carbon	7782-42-5	30000mg/kg(Rat)	No information available	No information available
Ethylene carbonate	96-49-1	10000mg/kg(Rat)	> 3000mg/kg(Rabbit)	No information available

> Skin Corrosion/Irritation

No information available

> Serious Eye Damage/Irritation

No information available

> Skin Sensitization

No information available

> Respiratory Sensitization

No information available

> Germ Cell Mutagenicity

No information available

> Carcinogenicity

ID	CAS No.	Component	IARC	NTP
1	346417-97-8	Various lithium metal oxides	Not Listed	Not Listed
2	7782-42-5	Carbon	Not Listed	Not Listed
3	<u>-</u>	Ethylene carbonate	Not Listed	Not Listed
4	21324-40-3	Lithium hexafluorophosphate(1-)	Not Listed	Not Listed

DG2047962E

5	96-49-1	Ethylene carbonate	Not Listed	Not Listed
6	616-38-6	Dimethyl carbonate	Not Listed	Not Listed
7	623-53-0	Ethyl methyl carbonate	Not Listed	Not Listed

> Reproductive Toxicity

No information available

> Reproductive Toxicity (Additional)

No information available

> STOT-Single Exposure

No information available

> STOT-Repeated Exposure

No information available

> Aspiration Hazard

No information available

Section 12 Ecological Information

> Acute Aquatic Toxicity

Component CAS No. Ethylene carbonate Carbon 7782-42-5		Fish	Crustaceans	Algae ErC ₅₀ : 7.9mg/L (96h)	
		LC ₅₀ : 0.665mg/L (96h)(Fish)	EC ₅₀ : 0.02mg/L (48h)		
		LC ₅₀ : 1.29mg/L (96h)(Fish)	No information available	No information available	

> Chronic Aquatic Toxicity

No information available

> Others

Persistence and Degradability Bioaccumulative Potential

No information available

No information available

Mobility in Soil

No information available

Various lithium metal oxides does not meet the criteria for PBT and vPvB according to Regulation (EC) No 1907/2006, annex XIII.

Carbon does not meet the criteria for PBT and vPvB according to Regulation

(EC) No 1907/2006, annex XIII.

Results of PBT and vPvB Assessment Lithium hexafluorophosphate(1-) does not meet the criteria for PBT and vPvB according to Regulation (EC) No 1907/2006, annex XIII.

Ethylene carbonate does not meet the criteria for PBT and vPvB according to

Regulation (EC) No 1907/2006, annex XIII.

Dimethyl carbonate does not meet the criteria for PBT and vPvB according to

Regulation (EC) No 1907/2006, annex XIII.

Ethyl methyl carbonate does not meet the criteria for PBT and vPvB according to Regulation (EC) No 1907/2006, annex XIII.

Disposal Considerations Section 13

Waste Chemicals

Before disposal should refer to the relevant national and local laws and

regulation. Recommend the use of incineration disposal.

Contaminated Packaging Disposal Recommendations Containers may still present chemical hazard when empty. Keep away from hot

and ignition source of fire. Return to supplier for recycling if possible.

Refer to section 13.1 and 13.2.

Section 14 Transport Information

Transporting Label



Marine pollutant

None

UN Number

3480

UN Proper Shipping

LITHIUM ION BATTERIES (including lithium ion polymer batteries)

Name

Transport Hazard Class

Transport Subsidiary

NONE

Hazard Class

Packing Group

Packagings shall conform to the packing group II performance level

Section 15 Regulatory Information

> International Chemical Inventory

Component	EINECS	TSCA	DSL	IECSC	NZIoC	PICCS	KECI	AICS	ENCS
Various lithium metal oxides	×	×	×	×	×	×	×	×	×
Carbon	√	√	√	√	√	√	√	√	×
Ethylene carbonate	×	×	×	×	×	×	×	×	×
Lithium hexafluorophosph ate(1-)	√	√	×	√	×	√	√	√	×
Ethylene carbonate	√	√	√	√	√	√	√	√	√
Dimethyl carbonate	√	√	√	√	√	√	√	√	√
Ethyl methyl carbonate	×	√ √	×	√	×	√ ,	√	×	×

[EINECS] European Inventory of Existing Commercial Chemical Substances.

[TSCA] United States Toxic Substances Control Act Inventory.

[DSL]

Canadian Domestic Substances List.

China Inventory of Existing Chemical Substances. [IECSC]

[NZloC]	New Zealand Inventory of Chemicals.
[PICCS]	Philippines Inventory of Chemicals and Chemical Substances.
[KECI]	Existing and Evaluated Chemical Substances.
[AICS]	Australia Inventory of Chemical Substances.
[ENCS]	Existing And New Chemical Substances.

Note

"√" Indicates that the substance included in the regulations

"x" That no data or included in the regulations

Section 16 Additional Information

 Creation Date
 2020/05/22

 Revision Date
 2020/05/22

Reason for Revision

> Disclaimer

This Safety Data Sheet (SDS) was prepared according to UN GHS (the 8th revised edition). The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.



南京海关危险货物与包装检测中心国家化学品分类鉴别与评估重点实验室





Terms of the Using of the Report

- 1. The report is issued by DPTC according to the information of the chemicals and the information of its shipping provided by the applicant (shipper or his agent).
- 2. According to the demand of this SDS, DPTC requires the applicant to provide true and exact sample and data.
- 3. Information from applicant is the key of this Label, so the center will not respond for the wrong of applicant.
- 4. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
- 5. This report will be effective only after it is signed by the inspector, approver and stamped by DPTC.
- 6. Our center guarantees the objectivity and fairness of this report, and carries out confidentiality obligations on business secrets such as business information, technical documents and so on.
- 7. The partly duplicating of this report is prohibited without the written approver of DPTC.
- 8. The report is invalid when anything of the following happens-illegal transfer, embezzlement, imposture, modification or tampering in any media form.
- 9. The authenticity of the certificate can be checked by scanning the QR code of this certificate.



邮编 (P.C.): 213000

地址:中国常州市天宁区青洋北路 47号 电话 (Tel): +86-519-85152626, 85807785 Add: 47 Qingyang North Road, Tianning District, Changzhou, China

网址: www.dptc.org